

## SAFETY DATA SHEET

### Prestone Wheel Cleaner with Repellancy formula

#### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

|                     |                                                                                                                                                                                                                                                                        |              |                                                                                               |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------------------------------------------------------------------------------------|
| PRODUCT NAME        | Prestone Wheel Cleaner with Repellancy formula                                                                                                                                                                                                                         |              |                                                                                               |
| PRODUCT NO.         | AS398                                                                                                                                                                                                                                                                  |              |                                                                                               |
| APPLICATION         | Wheel Cleaner / Nettoyant jantes                                                                                                                                                                                                                                       |              |                                                                                               |
| SUPPLIER            | Holt Lloyd International Ltd *<br>Oakhurst Drive, Lawnhurst Trading Estate<br>Cheadle Heath,<br>Stockport,<br>SK3 0RZ- England<br>00 44 (0) 161 491 7391<br>00 44 (0) 161 491 7399<br>A Honeywell Consumer Products Group<br>info@holtsauto.com<br>(www.holtsauto.com) | MANUFACTURER | Prestone Products Corporation<br>39, Old Ridgebury Road<br>Danbury<br>CT<br>06810-5109<br>USA |
| CONTACT PERSON      | Regulatory Affairs                                                                                                                                                                                                                                                     |              |                                                                                               |
| EMERGENCY TELEPHONE | Prestone: 001 800 424 9300                                                                                                                                                                                                                                             |              |                                                                                               |

#### 2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

CLASSIFICATION (1999/45) Not classified.

#### 3 COMPOSITION/INFORMATION ON INGREDIENTS

| Name                  | EC No.    | CAS-No.    | Content % | Classification (67/548/EEC)            |
|-----------------------|-----------|------------|-----------|----------------------------------------|
| Sodium alkyl sulphate | 271-557-7 | 68585-47-7 | 1-5%      | Xi;R38,R41.                            |
| FORMALDEHYDE ...%     | 200-001-8 | 50-00-0    | 0.0034%   | Carc. Cat. 3;R40 T;R23/24/25 C;R34 R43 |
| SODIUM HYDROXIDE      | 215-185-5 | 1310-73-2  | < 1%      | C;R35                                  |
| Alcohol ethoxylate    |           | 68131-39-5 | < 1%      | Xn;R22. Xi;R41. N;R50.                 |

The Full Text for all R-Phrases is Displayed in Section 16

The Full Text for all R-Phrases is  
Displayed in Section 16

#### 4 FIRST-AID MEASURES

##### INHALATION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

##### INGESTION

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Drink plenty of water. Get medical attention if any discomfort continues.

##### SKIN CONTACT

Remove affected person from source of contamination. Get medical attention if irritation persists after washing.

## Prestone Wheel Cleaner with Repellancy formula

### EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

### 5 FIRE-FIGHTING MEASURES

### EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

### 6 ACCIDENTAL RELEASE MEASURES

### ENVIRONMENTAL PRECAUTIONS

Do not discharge into drains, water courses or onto the ground.

### SPILL CLEAN UP METHODS

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

### 7 HANDLING AND STORAGE

### USAGE PRECAUTIONS

Avoid spilling, skin and eye contact.

### STORAGE PRECAUTIONS

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

### 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

| Name              | STD | TWA - 8 Hrs |           | STEL - 15 Min |           | Notes |
|-------------------|-----|-------------|-----------|---------------|-----------|-------|
| FORMALDEHYDE ...% | WEL | 2 ppm       | 2.5 mg/m3 | 2 ppm         | 2.5 mg/m3 |       |
| SODIUM HYDROXIDE  | WEL |             |           |               | 2 mg/m3   |       |

WEL = Workplace Exposure Limit.

### INGREDIENT COMMENTS

WEL = Workplace Exposure Limits

### PROTECTIVE EQUIPMENT



### ENGINEERING MEASURES

Provide adequate general and local exhaust ventilation.

### HAND PROTECTION

For prolonged or repeated skin contact use suitable protective gloves. Rubber gloves are recommended. EN374

### EYE PROTECTION

If risk of splashing, wear safety goggles or face shield.

### OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

## Prestone Wheel Cleaner with Repellancy formula

### HYGIENE MEASURES

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

|                          |                   |
|--------------------------|-------------------|
| APPEARANCE               | Liquid            |
| COLOUR                   | Colourless. Clear |
| BOILING POINT (°C)       | 100°C             |
| RELATIVE DENSITY         | 1.008             |
| pH-VALUE, CONC. SOLUTION | 10.8              |

## 10 STABILITY AND REACTIVITY

### STABILITY

No particular stability concerns.

### CONDITIONS TO AVOID

Avoid excessive heat for prolonged periods of time.

### HAZARDOUS DECOMPOSITION PRODUCTS

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## 11 TOXICOLOGICAL INFORMATION

### GENERAL INFORMATION

No specific health warnings noted.

### INHALATION

No specific health warnings noted.

### INGESTION

May cause discomfort if swallowed. May cause stomach pain or vomiting.

### SKIN CONTACT

Prolonged and frequent contact may cause redness and irritation.

### EYE CONTACT

Splashes may irritate.

### HEALTH WARNINGS

This product has low toxicity. Only large volumes may have adverse impact on human health.

## 12 ECOLOGICAL INFORMATION

### ECOTOXICITY

No data on possible environmental effects have been found.

## 13 DISPOSAL CONSIDERATIONS

### GENERAL INFORMATION

Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

### DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

## 14 TRANSPORT INFORMATION

**Prestone Wheel Cleaner with Repellancy formula**

## GENERAL

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

No transport warning sign required.

ENVIRONMENTALLY  
HAZARDOUS  
SUBSTANCE/MARINE  
POLLUTANT

No.

**15 REGULATORY INFORMATION**

## RISK PHRASES

NC Not classified.

## SAFETY PHRASES

S2 Keep out of the reach of children.  
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
S46 If swallowed, seek medical advice immediately and show this container or label.

## Detergent Labelling:

< 5% anionic surfactants  
EDTA and salts thereof  
Contains 1,3,5-tris(2-hydroxyethyl)-hexahydrotriazine

## EU DIRECTIVES

Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

**16 OTHER INFORMATION**

REVISION DATE 19/06/2007

REV. NO./REPL. SDS GENERATED 1

SDS NO. 13115

DATE 25-01-06

## RISK PHRASES IN FULL

R34 Causes burns.  
R35 Causes severe burns.  
R22 Harmful if swallowed.  
R37 Irritating to respiratory system.  
R38 Irritating to skin.  
R40 Limited evidence of a carcinogenic effect.  
R43 May cause sensitisation by skin contact.  
NC Not classified.  
R41 Risk of serious damage to eyes.  
R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.  
R50 Very toxic to aquatic organisms.

## **Prestone Wheel Cleaner with Repellancy formula**

### **DISCLAIMER**

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.