



# Product specifications



Consumer range

## RADIATOR STOP LEAK

Wynn's Radiator Stop Leak is designed to stop small leaks in vehicle cooling and heating systems, ensuring you stay on the road without the need for immediate mechanical repairs or component replacement.

### Properties

- ✓ Stops and prevents leakages in the radiator, cooling and heating system.
- ✓ Stops small head gasket leaks.
- ✓ Will not harm rubber hoses, gaskets or other system components.
- ✓ Is compatible with all antifreezes and coolants, including OAT coolants (Organic Acid Technology).
- ✓ Formulated to avoid clogging of radiator water channels, the heater matrix and temperature sensors.

### Applications

- ✓ Recommended for all "water" cooled systems of petrol, LPG and diesel engines where minor leaks are noted.
- ✓ Can also be used as preventive agent.

### Directions

- ✓ Warm up the engine with heater control in HOT position.
- ✓ Shake bottle well and add contents to the cooling system via the expansion tank if part of the system circuit (2 hoses: out and return) or directly into the radiator if a single hose overflow tank is fitted.
- ✓ Top up the system with coolant if required.
- ✓ Run engine for approximately 5 minutes to circulate and stop leaks.
- ✓ Contents treat cooling systems from 5 to 12 litres.
- ✓ If the coolant is dirty, flush system with Wynn's Radiator Flush and refill with new coolant before treating with Radiator Stop Leak.

Wynn's Belgium bvba – Industriepark West 46 – B-9100 Sint-Niklaas / Belgium  
 Tel: 32-3-766.60.20 - Fax: 32-3.778.16.56 – E-mail: [mail@wynns.eu](mailto:mail@wynns.eu) – Website: [www.wynns.com](http://www.wynns.com)

The data concerning properties and applications of the indicated products are offered in good faith and are based on our research and practical experiences. Due to the versatility of the application possibilities, it is impossible to mention all details and we do not assume any obligations or responsibilities resulting from this. When a new edition appears due to the technical development, the preceding data are no longer valid.



# Product specifications

## Packaging

PN 55863 – 12x325 ml – NL/FR/DE/TR/IT

PN 55866 – 12x325 ml – ES/PT

PN 55864 – 12x325 ml – EN

PN 55872 – 12x325 ml – PL/HU/RU/EL

## Note

Wynn's Radiator Stop Leak will not repair broken or split hoses.

Wynn's Belgium bvba – Industriepark West 46 – B-9100 Sint-Niklaas / Belgium  
Tel: 32-3-766.60.20 - Fax: 32-3.778.16.56 – E-mail: [mail@wynns.eu](mailto:mail@wynns.eu) – Website: [www.wynns.com](http://www.wynns.com)

The data concerning properties and applications of the indicated products are offered in good faith and are based on our research and practical experiences. Due to the versatility of the application possibilities, it is impossible to mention all details and we do not assume any obligations or responsibilities resulting from this. When a new edition appears due to the technical development, the preceding data are no longer valid.



# Product specifications

Wynn's Belgium bvba – Industriepark West 46 – B-9100 Sint-Niklaas / Belgium  
Tel: 32-3-766.60.20 - Fax: 32-3.778.16.56 – E-mail: [mail@wynns.eu](mailto:mail@wynns.eu) – Website: [www.wynns.com](http://www.wynns.com)

The data concerning properties and applications of the indicated products are offered in good faith and are based on our research and practical experiences. Due to the versatility of the application possibilities, it is impossible to mention all details and we do not assume any obligations or responsibilities resulting from this. When a new edition appears due to the technical development, the preceding data are no longer valid.